

GLASS ROOF AWNINGS

CAPRI - ANCONA



*Just
enjoy life!*


Lewens
MARKISEN



CONTENTS

GLASS ROOF AWNINGS Overview	5
CAPRI	6 - 7
ANCONA	8 - 9
SYSTEM in detail	10
OPTIONS	11
TECHNICAL DATA, FITTING/SECTIONAL VIEWS	12 - 13
SOLAR WORLDS Awnings + glass roofs	14
FRAME COLOURS	15
AWNING FABRICS	15

**23 FRAME COLOURS
AT NO EXTRA CHARGE!**



A HOLIDAY FROM THE HEAT AT LAST!



*"My very own
light therapy
for a
cheerful mood!"*

Glass roofs and conservatories offer the opportunity to enjoy a view of the garden all year round. But when the sun is out, the heat builds up quickly under the glass and there's nowhere to escape from the glare. Here a roof-mounted or interior awning comes to the rescue, creating a comfortable atmosphere and turning this into a favourite haunt.

For “under” or “over”

Glass roof awnings from Lewens have a design adapted to the patio roof or conservatory.

The awning is extended and retracted on rails, the position of which can be adjusted with centimetre accuracy to the spacing of the rafters. High-quality traction cable systems with a high spring tension guarantee reliable functioning and quiet rollers for the desired ease of operation.

Choose your favourite model – “under” or “over”:



CAPRI – awning for glass roofs and conservatories




Awning for fitting onto an existing glass roof or conservatory.

Max. width 700 cm and drop 600 cm.*

When erected on posts, the Capri **Pergola type** provides a sturdy patio awning.

Read **more on page 6.**

ANCONA – interior and roof-mounted awning



Awning for retrospective interior or roof mounting on an existing glass roof or conservatory.

Max. width 600 cm and drop 450 cm.*

Read **more on page 8.**

CAPRI



*“... and now it's
ice cream
time!”*



*“Have you got
enough there,
darling?!”*

With the CAPRI from LEWENS, you even have control over bright sunshine and high summer temperatures. Whether you're in the conservatory or on the patio, the sun's glare and heat stay outside. You enjoy a summer-like climate that is made to measure.

The CAPRI awning is an external sunshade for existing conservatories or glass roofs, preventing excessive sunlight from getting in and heating up the room, especially in the case of conservatories.

With a maximum single-unit width of up to 700 cm (up to 600 cm as PERGOLA type) and a maximum drop of 600 cm, the CAPRI will span large areas of glass. For even larger glass surfaces, we offer you the CAPRI type ROOF-MOUNTED as a linked system spanning up to 1200 cm in width. *

Options

- ▶ Radio remote control
- ▶ Automatic weather monitoring *
- ▶ Patio heater
- ▶ Extra fabric support

Read more
on page 11.


* Please refer to technical data in the current Lewens price list for possible dimensions and restrictions and for the complete list of electronic accessories.






ROOF-MOUNTED TYPE

For fitting on the conservatory, the CAPRI is supplied as standard with rail holders. Depending on attachment and type of mounting, however, variable mounting feet and brackets can be ordered additionally for an extra charge.



Made-to-measure flexibility

The CAPRI from LEWENS is extremely flexible to use: the lateral guide rails can be recessed in a range of 7 to 80 cm symmetrically from the outside edge on assembly (see fig.). It's the perfect solution even on hipped conservatories or sloping glass roofs.



PERGOLA TYPE

As the **PERGOLA** type, the CAPRI offers a particularly sturdy shading option for patios. The rails and support posts can be positioned variably as desired.

Unless otherwise specified, the posts are always supplied positioned 25 cm inwards (distance from the lateral edge of the awning to the centre of the support post). On widths in excess of 551 cm they are positioned 40 cm inwards.



ANCONA



“Should I?”

A really smart solution:

Whether fitted above the glass or below, the ANCONA awning tames the glare and heat of the sun, creating a soft, comfortable light on the patio or in the conservatory.

Our ANCONA awning is the perfect solution for anyone wishing to enjoy family life in the conservatory or under the glass roof all year round and thus appreciating a practical, easy-care sunshade.

Two versions are available for fitting, the INTERIOR type and the ROOF-MOUNTED type. Fitted below the glass, the awning remains dry, clean and optimally protected against the wind and weather. For fitting on the roof, the ANCONA is equipped with a protective roof cover.

We offer the ANCONA awning in widths ranging from 200 cm to 600 cm. The drop of up to 450 cm max. can be adapted to the rafter length of the glass roof or conservatory accurate to the centimetre.*

Options

- ▶ Radio remote control
 - ▶ Automatic weather monitoring *
 - ▶ Patio heater
 - ▶ Roof cover
 - ▶ Additional fabric support wire
- More info: page 11

* Please refer to technical data in the current Lewens price list for possible dimensions and restrictions and for the complete list of electronic accessories.



INTERIOR TYPE

For fitting below the glass, the ANCONA is attached to the rafters of the glass roof or conservatory from underneath.

The components and finishing of the fabric have been specially developed for freely suspended fitting of the awning under a protective glass roof.



ANCONA – interior and roof-mounted awning



ROOF-MOUNTED TYPE

This type of ANCONA awning is attached to the rafters of a glass roof or conservatory from above.



Since the awning is exposed to the weather, this type is always supplied with a protective **roof cover**.



SYSTEM IN DETAIL

All LEWENS awnings and glass roofs are characterised by superb engineering, the best materials and meticulous craftsmanship:

CAPRI



Front profile with carriage supported in needle roller bearings

Its quiet operation and sturdy, shapely cassette provide impressive proof of quality that is thought out down to the last detail. The carriage is supported in needle roller bearings to ensure quiet running of the front profile.

When the awning is retracted, the cassette protects the awning fabric reliably from the weather and environmental effects.



Protective cassette of the CAPRI


ANCONA



Slim and elegant: when the cassette is closed, the ANCONA is discreetly concealed.

A look at the components in the side rails shows the interaction of the traction cable and spring when the front profile is extended.

Castors ensure quiet running.



Slender profiles blend harmoniously into the appearance of the glass roof

OPTIONS

ALL MODELS



Ancona roof cover

On the ANCONA interior awning type, the **roof cover** is an optional extra. This turns the awning casing into a cassette, which protects the fabric and mechanism against soiling and also from the effects of the weather when fitted under an open glass roof.



Roof cover: on the Ancona interior awning type an optional extra...



Fabric support wire / fabric support

Because the weight of the fabric on large awnings can cause the awning to sag in the middle, a **fabric support wire (Ancona)** or a **fabric support (Capri)** is also supplied.




...on the roof-mounted type included in the price as protection from the elements.



Patio heater

Provides cosy warmth under the awning, even on chilly days.



- 2000 watts, tilt range 30°, provides uniform heating in a surrounding area of up to 16 m², instant heat emission with no warm-up phase
- Optional:
radio dimmer + hand-held transmitter

(No mounting on awning or cassette possible, wall mounting required!)



The fabric support wire prevents the awning fabric from sagging on large awnings.



Radio remote control, automatic weather monitoring

With the **radio remote control**, all radio-controlled electrical components can be conveniently operated using a single controller, eliminating annoying control cabling on the wall. The **sun and wind sensor** gauges the sun and wind – and the awning is extended and retracted automatically!

LEWENS awnings are fitted with high-quality **Somfy** power components.



Creating a cosy feel: the radiant heater



Why get up?
The remote control is always to hand.

TECHNICAL DATA

CAPRI and ANCONA

MODEL	CAPRI		ANCONA	
TYPE	ROOF-MOUNTED	PERGOLA	INTERIOR	ROOF-MOUNTED
Width 1 unit	max. 700 cm	max. 600 cm	max. 600 cm min. 200 cm	
Width 2 units	max. 1.200 cm (linked system, without slit cover, slit approx. 4 cm)			
Drop	max. 600 cm	max. 600 cm (Post distance from wall max. 500 cm)	max. 450 cm	
Height of posts		max. 300 cm (supplied at 300 cm for adjustment in situ)		

Centimetre-accurate manufacture in all intermediate widths!

Drive	Motor drive (electric motor)			
Scope of supply, attachment	<ul style="list-style-type: none"> - incl. rail holders, without mounting screws/dowels (see price list for number of rail holders) - wall brackets for casing - extra charge for any additional mounting material required - guide rails can be recessed symmetrically by up to 80 cm from outside edge on installation 	<ul style="list-style-type: none"> - two support posts - cross member - base consoles - rail fixtures - two wall brackets for casing - support posts always with 25 cm spacing (outer edge of awning to centre of post) unless otherwise specified 	<ul style="list-style-type: none"> - incl. rail holders, without mounting screws/dowels - extra charge for any additional mounting material required - Note: The unit is to be used exclusively for fitting under a protective glass roof 	<ul style="list-style-type: none"> - incl. roof cover - incl. size 10 mounting feet with rail holders, without mounting screws/dowels - extra charge for any additional mounting material required
Frame colours	<ul style="list-style-type: none"> - 17 RAL colours and 6 textured finishes to choose from (see LEWENS price list for colour chart) - Special RAL (extra charge) - Special colours and effect finishes on request 			
Awning fabrics <i>from the LEWENS collection</i>	<ul style="list-style-type: none"> - Branded acrylic, spun-dyed, ultra fade resistant - Branded polyester, spun-dyed (extra charge) - Tenara quality sewing yarn <p><i>Capri: with corner reinforcement and side seam (10 cm)</i></p>			
Options	<ol style="list-style-type: none"> 1. Radio remote control / electric motor with integral radio control 2. Sun / wind / rain monitoring 3. Patio heater <i>(only wall mounted)</i> 4. Extra fabric support 	<ol style="list-style-type: none"> 1. Radio remote control / electric motor with integral radio control 2. Sun monitoring 3. Patio heater <i>(only wall mounted)</i> 4. Extra fabric support wire 5. Roof cover 	<ol style="list-style-type: none"> 1. Radio remote control / electric motor with integral radio control 2. Sun / wind / rain monitoring 3. Patio heater <i>(only wall mounted)</i> 4. Extra fabric support wire 	
Notes	Due to the design and the weight of the awning fabric, the fabric may sag in the middle on large awnings. However, this does not affect the function and/or the service life of the awning.			

Please refer to technical data in the current Lewens price list for possible dimensions and restrictions and for the complete list of electronic accessories.

CERTIFICATION




CE Standard: Look for the mark that guarantees the technical safety of our products.

Branded goods from Germany: Lewens awnings are manufactured and assembled in Germany – quality “made in Germany”!

FITTING


CAPRI ROOF-MOUNTED Type

Awning for roof mounting on rafters of conservatory or glass roof.




ROOF-MOUNTED


Rail holder (standard)




Mounting foot (different heights)





Lateral attachment



Lateral attachment wall




ANCONA




INTERIOR


Rail holder (standard)




Mounting foot Pressure plate for Vetro installation




Pressure plate without rail holder for mounting on Murano glass roof




Pressure plate without rail holder for mounting on Murano glass roof




Twin mounting with pressure plate for mounting on Murano glass roof



Lateral attachment




Installation extension




Spacer plate

for second guide rail side when installing with lateral attachment or installation extension




ROOF-MOUNTED

Mounting foot (standard size 10 for roof-mounted)



Double track holder



See price list for dimensions of attachment fixtures


SOLAR WORLDS



Voilà, sunshine à la carte!

Click through the Lewens solar worlds and choose your own personal sun protection made to measure, with plenty of accessories for even greater pleasure from life.

www.lewens-markisen.de



FRAME COLOURS

Lewens offers a wide range of **standard frame colours at no extra charge** for all awning models (exception: Economy):

STANDARD RAL		
	1015	Light ivory
	3002	Carmine red
	3003	Ruby red
	3004	Purple red
	5002	Ultramarine blue
	5005	Signal blue
	6005	Moss green
	6009	Fir green
	7016	Anthracite grey
	7024	Graphite grey
	8019	Grey brown
	8077	Dark brown
	9001	Cream
	9006	White aluminium
	9007	Grey aluminium
	9010	Pure white
	9016	Traffic white
STANDARD TEXTURED FINISHES		
	Textured finish RAL 7016	Anthracite grey, fine texture, matt
	Textured finish RAL 9005	Jet black, fine texture, matt
	Textured finish RAL 9007	Grey aluminium fine texture, matt
	Textured finish SL 92	Terra / brown
	Textured finish SL 93	Grey / marble
	Textured finish SL 94	DB 703 fine texture

(Colour differences may result from the printing process.)

SPECIAL COLOURS	
Special RAL <i>(please see current Lewens price list for selection)</i>	Extra charge
Special colours and effect finishes: – all non-listed RAL colours – fine and coarse texture – metallic finishes – pearlescent/glimmer-effect finishes – NCS colours	On request

AWNING FABRICS




With more than 300 samples to choose from, the Lewens collection offers you acrylic and polyester fabrics and also air-permeable screen and Soltis woven fabrics across the entire colour spectrum.

Lewens awning fabrics have been created especially to provide shade outdoors and are treated to make them water- and dirt-repellent. We make the awnings up using the latest sewing techniques for distortion-free seams and also using ultrasonic bonding. We have designed our manufacturing facility so that the awning fabrics can be laid out entirely flat (not folded) for making up.

Some of our quality features for glass roof awnings:

- ▶ Secure lockstitch used for making up
- ▶ Seams on top and bottom neatened (clean completion)
- ▶ Repeat-symmetrical completion left and right
- ▶ All seams sewn with Tenara® yarn

No matter which fabric you choose from the Lewens collection, top-class fabrics, high-quality materials and a modern assembly method will guarantee you many years of pleasure from your awning.



WE GUARANTEE



L.UST FOR LIFE

means being able to enjoy the summer outdoors without fear of sunburn, well protected against the heat and glare. Lewens awnings don't just provide shade, they are capable of more: they help us to enjoy the best aspects of summer.



I.NTELLIGENCE

isn't just in the head. Sometimes it is to be found elsewhere, in the technical details and workmanship of high-quality Lewens awnings – so that you, the user, can operate our products without any problems and can find a suitable solution for any task.



F.REEDOM

always has something to do with freedom of choice. Whether it's an awning for a small balcony or large patio or solutions for your conservatory that you need, Lewens specialist dealers provide professional advice and assembly. They are also happy to help you choose the colours and fabrics – so that you are entirely satisfied with every aspect of your awning!



E.ASY LIVING

is now more in demand than ever. Everyday life is stressful enough, the world turns ever faster and the pace of news quickens. It's good to have time to unwind and be able to relax with family and friends. It is precisely for these valuable occasions that we have created our awnings.



CERTIFICATION

CE Standard: Look for the mark that guarantees the technical safety

Branded goods from Germany: Lewens products are manufactured and assembled in Germany – quality “made in Germany”!

Your stockist will be happy to advise you:



*Just
enjoy life!*

www.lewens-markisen.de

